

VSH Press

6 Programma di fornitura

81

6.3 VSH Press Acciaio carbonio zincato



C 1459 Tubo in acciaio al carbonio zincato


(lunghezza 6m)



Dimensione	DN	N° articolo
12 x 1,2	10	36008
15 x 1,2	12	36010
18 x 1,2	15	36012
22 x 1,5	20	36014
28 x 1,5	25	36016
35 x 1,5	32	36018
42 x 1,5	40	36020
54 x 1,5	50	36022
76,1 x 2,0	65	36023
88,9 x 2,0	80	36024
108 x 2,0	100	36025

C 1403 Manicotto lungo

(2 x pressato)



Dimensione	N° articolo	L	es
12 x 12	20143	67	25
15 x 15	20144	80	25
18 x 18	20145	80	25
22 x 22	20146	84	25
28 x 28	20147	91	30
35 x 35	20148	102	30
42 x 42	20149	120	40
54 x 54	20150	140	40
76 x 76	20623	230	60
89 x 89	20624	260	70
108 x 108	20625	310	80

C 1460 Tubo in acciaio al carbonio rivestito in PP


(lunghezza 6m) con guarnizione di materiale sintetico



Dimensione	DN	N° articolo
15 x 1,2	12	20468
18 x 1,2	15	20469
22 x 1,5	20	20470
28 x 1,5	25	20471
35 x 1,5	32	20472
42 x 1,5	40	20473
54 x 1,5	50	20474

C 1432 Tubo combinato a saldare (non galvanizzato)


(1 x estremità di inserimento 1 per estremità a saldare)



Dimensione	N° articolo	L
Ø17 x Ø15	20781	120
Ø20 x Ø18	20782	120
Ø24 x Ø22	20716	120
Ø31 x Ø28	20717	120
Ø38 x Ø35	20151	120
Ø44,5 x Ø42	20152	120
Ø57 x Ø54	20153	120
Ø80,5 x Ø76,1	20653	230
Ø94,9 x Ø88,9	20654	230
Ø114 x Ø108	20655	230

C 1401 Manicotto


(2 x pressato)



Dimensione	N° articolo	L	Z
12 x 12	20135	47	13
15 x 15	20136	53	13
18 x 18	20137	53	13
22 x 22	20138	55	13
28 x 28	20139	59	13
35 x 35	20140	65	13
42 x 42	20141	76	16
54 x 54	20142	86	16
76 x 76	20620	142	38
89 x 89	20621	165	45
108 x 108	20622	195	44

C 1408 Gomito a 90° FF


(2 x pressato)



Dimensione	N° articolo	L	Z
12 x 12	20154	35	18,0
15 x 15	20155	41	21,0
18 x 18	20156	45	25,0
22 x 22	20157	51	30,0
28 x 28	20158	60	37,0
35 x 35	20159	71	45,0
42 x 42	20160	86	56,0
54 x 54	20161	105	70,0
76 x 76	20800	152	99,5
89 x 89	20804	175	115,0
108 x 108	20805	213	139,0

C 1413 Gomito a 45° FF


(2 x pressato)



Dimensione	N° articolo	L	Z
15 x 15	20170	30,5	10,5
18 x 18	20171	32,1	12,1
22 x 22	20172	35,2	14,2
28 x 28	20173	40,1	17,1
35 x 35	20174	46,4	20,4
42 x 42	20175	56,1	26,1
54 x 54	20176	66,9	31,9
76 x 76	20809	99,0	46,5
89 x 89	20810	113,0	53,0
108 x 108	20811	139,0	65,0

C 1411 Gomito a 90° maschio-femmina


(pressato x estremità di inserimento)



Dimensione	N° articolo	L	Z	h
12 x Ø12	20162	35	18,0	42,4
15 x Ø15	20163	41	21,0	48,6
18 x Ø18	20164	45	25,0	51,4
22 x Ø22	20165	51	30,0	58,1
28 x Ø28	20166	60	37,0	65,5
35 x Ø35	20167	71	45,0	75,9
42 x Ø42	20168	86	56,0	92,5
54 x Ø54	20169	105	70,0	110,6
76 x Ø76	20806	152	99,5	167,0
89 x Ø89	20807	175	115,0	194,0
108 x Ø108	20808	213	139,0	235,0

C 1412 Gomito a 45° maschio-femmina


(pressato x estremità di inserimento)



Dimensione	N° articolo	L	Z	h
15 x Ø15	20177	30,5	10,5	38,1
18 x Ø18	20178	32,1	12,1	38,5
22 x Ø22	20179	35,2	14,2	42,3
28 x Ø28	20180	40,1	17,1	45,6
35 x Ø35	20181	46,4	20,4	51,3
42 x Ø42	20182	56,1	26,1	62,6
54 x Ø54	20183	66,9	31,9	72,5
76 x Ø76	20812	99,0	46,5	115,0
89 x Ø89	20813	113,0	53,0	130,0
108 x Ø108	20814	139,0	65,0	160,0

C 1425 Tubo ricurvo a 90° MM


(2 x estremità di inserimento)



Dimensione	N° articolo	h1	h1min	h2	h2min
Ø12 x Ø12	20184	70	58	120	58
Ø15 x Ø15	20185	70	58	120	58
Ø18 x Ø18	20186	70	63	120	63
Ø22 x Ø22	20187	72	70	120	70
Ø28 x Ø28	20188	82	80	120	80
Ø35 x Ø35	20189	120	100	200	100
Ø42 x Ø42	20190	150	120	250	120
Ø54 x Ø54	20191	200	145	300	145

C 1417 Scavalcatubi (tubazioni parallele)


(2 x estremità di inserimento)



Dimensione	N° articolo	L	A	B
Ø12 x Ø12	20192	54,0	155	31
Ø15 x Ø15	20193	54,0	155	31
Ø18 x Ø18	20194	59,5	167	34
Ø22 x Ø22	20195	64,5	177	37
Ø28 x Ø28	20196	75,0	215	43

C 1414 Raccordo a T


(3 x pressato)



Dimensione	N° articolo	L1	Z1	L2	Z2
12 x 12 x 12	20248	30,5	13,5	39,5	22,5
15 x 15 x 15	20249	35,0	15,0	44,0	24,0
18 x 18 x 18	20250	36,5	16,5	45,5	25,5
22 x 22 x 22	20251	39,5	18,5	48,5	27,5
28 x 28 x 28	20252	44,5	21,5	53,5	30,5
35 x 35 x 35	20253	51,0	25,0	60,0	34,0
42 x 42 x 42	20254	60,0	30,0	66,5	36,5
54 x 54 x 54	20255	71,0	36,0	77,5	42,5
76 x 76 x 76	20644	115,0	63,0	120,0	68,0
89 x 89 x 89	20645	130,0	70,0	128,0	68,0
108 x 108 x 108	20646	155,0	79,0	153,0	77,0

C 1415 Raccordo a T con uscita ridotta/allargata


(con l'uscita irregolare, 3 x pressato)



Dimensione	N° articolo	L1	Z1	L2	Z2
12 x 15 x 12	20276	30,5	13,5	42,5	22,5
15 x 12 x 15	20256	35,0	15,0	41,0	24,0
15 x 18 x 15	20277	35,0	15,0	44,0	24,0
15 x 22 x 15	20278	35,0	15,0	47,5	26,5
18 x 12 x 18	20257	36,5	16,5	42,5	25,5
18 x 15 x 18	20258	36,5	16,5	45,5	25,5
18 x 22 x 18	20279	36,5	16,5	47,0	26,0
22 x 12 x 22	20259	39,5	18,5	44,5	27,5
22 x 15 x 22	20260	39,5	18,5	47,5	27,5
22 x 18 x 22	20261	39,5	18,5	47,5	27,5
22 x 28 x 22	20280	39,5	18,5	52,0	29,0
28 x 15 x 28	20262	44,5	21,5	50,5	30,5
28 x 18 x 28	20263	44,5	21,5	50,5	30,5
28 x 22 x 28	20264	44,5	21,5	51,5	30,5
35 x 15 x 35	20265	51,0	25,0	54,0	34,0
35 x 18 x 35	20266	51,0	25,0	54,0	34,0
35 x 22 x 35	20267	51,0	25,0	55,0	34,0
35 x 28 x 35	20268	51,0	25,0	57,0	34,0
42 x 22 x 42	20269	60,0	30,0	57,5	36,5
42 x 28 x 42	20270	60,0	30,0	59,5	36,5
42 x 35 x 42	20271	60,0	30,0	62,5	36,5
54 x 22 x 54	20272	71,0	36,0	63,5	42,5
54 x 28 x 54	20273	71,0	36,0	65,5	42,5
54 x 35 x 54	20274	71,0	36,0	68,5	42,5
54 x 42 x 54	20275	71,0	36,0	72,5	42,5
76 x 54 x 76	20647	115,0	63,0	120,0	85,0
89 x 76 x 89	20648	130,0	70,0	128,0	70,0
108 x 89 x 108	20649	155,0	76,0	153,0	93,0

C 1418 Raccordo a T con derivazione filetto femmina


(pressato x filetto interno x pressato)



Dimensione	N° articolo	L1	Z1	L2	Z2
15 x Rp1/2 x 15	20281	35,0	15,0	36,5	21,5
18 x Rp1/2 x 18	20282	36,5	16,5	37,0	22,0
22 x Rp1/2 x 22	20283	39,5	18,5	39,0	24,0
28 x Rp1/2 x 28	20284	44,5	21,5	42,0	27,0
28 x Rp3/4 x 28	20718	44,5	21,5	44,0	27,7
35 x Rp1/2 x 35	20285	51,0	25,0	45,5	30,5
35 x Rp3/4 x 35	20710	51,0	25,0	47,5	31,2
42 x Rp1/2 x 42	20286	60,0	30,0	48,0	33,0
42 x Rp3/4 x 42	20711	60,0	30,0	50,0	33,7
54 x Rp1/2 x 54	20287	71,0	36,0	54,0	39,0
54 x Rp3/4 x 54	20712	71,0	36,0	56,0	39,7
76 x Rp3/4 x 76	20650	115,0	63,0	78,0	62,0
89 x Rp3/4 x 89	20651	130,0	70,0	75,0	59,0
108 x Rp3/4 x 108	20652	155,0	76,0	85,0	69,0

C 1407 Riduzione MF


(estremità di inserimento x pressato)



Dimensione	N° articolo	L	Z	d1	d2
Ø15 x 12	20211	55,0	38,0	15	12
Ø18 x 12	20212	53,8	36,8	18	12
Ø18 x 15	20213	52,0	32,0	18	15
Ø22 x 12	20214	57,2	40,2	22	12
Ø22 x 15	20215	58,4	38,4	22	15
Ø22 x 18	20216	59,0	39,0	22	18
Ø28 x 15	20217	64,0	44,0	28	15
Ø28 x 18	20218	62,3	42,3	28	18
Ø28 x 22	20219	63,0	42,0	28	22
Ø35 x 22	20220	68,0	47,0	35	22
Ø35 x 28	20221	69,0	46,0	35	28
Ø42 x 35	20222	76,0	50,0	42	35
Ø54 x 22	20223	89,0	68,0	54	22
Ø54 x 28	20224	87,0	64,0	54	28
Ø54 x 42	20225	91,0	61,0	54	42
Ø76,1 x 42	20638	153,0	124,0	76,1	42
Ø76,1 x 54	20639	147,0	112,0	76,1	54
Ø88,9 x 54	20640	163,0	128,0	88,9	54
Ø88,9 x 76,1	20641	160,0	108,0	88,9	76,1
Ø108 x 76,1	20642	184,0	132,0	108	76,1
Ø108 x 88,9	20643	204,0	144,0	108	88,9

C 1402 Manicotto misto con filetto femmina

(pressato x filetto interno)




Dimensione	N° articolo	L	Z
12 x Rp1/2	20236	39	7,0
15 x Rp1/2	20237	41	6,0
18 x Rp1/2	20238	40	5,0
18 x Rp3/4	20239	43	6,7
22 x Rp3/4	20240	43	5,7
28 x Rp1/2	20780	38	2,0
28 x Rp1	20241	49	7,0

85

C 1405 Manicotto misto con filetto maschio


(pressato x filetto esterno)



Dimensione	N° articolo	L	Z
12 x R3/8	20226	31	14
15 x R3/8	20227	35	15
15 x R1/2	20228	39	19
18 x R1/2	20229	39	19
18 x R3/4	20230	40	20
22 x R3/4	20231	44	23
28 x R1	20232	48	25
35 x R1 1/4	20233	55	29
42 x R1 1/2	20234	59	29
54 x R2	20235	69	34

C 1433 Codolo con filetto femmina


(estremità di inserimento x filetto interno)



Dimensione	N° articolo	A	Z	D
Ø12 x Rp1/2	20242	49	34,0	12
Ø15 x Rp1/2	20243	51	36,0	15
Ø18 x Rp1/2	20244	50	35,0	18
Ø18 x Rp3/4	20245	53	36,7	18
Ø22 x Rp1/2	20246	50	35,0	22
Ø22 x Rp3/4	20247	53	36,7	22

C 1428 Gomito a 90° con filetto maschio


(pressato x filetto esterno)



Dimensione	N° articolo	L2	Z	L1
12 x R3/8	20206	36,5	19,5	22
15 x R3/8	20207	40,0	20,0	22
15 x R1/2	20208	41,0	21,0	28
18 x R1/2	20209	41,5	21,5	28
22 x R3/4	20210	44,5	23,5	32

C 1426 Pezzo flangiato PN10/16


(1 x pressato)



Dim.	N° articolo	Z	D	D2	H	K	B	Fori
76	20659	74,0	185	18	126,0	145	18	4
89	20660	83,0	200	18	143,0	160	20	8
108	20661	92,0	220	18	168,0	180	20	8

C 1430 Curva a 90° con filetto maschio


(pressato x filetto esterno)



Dimensione	N° articolo	B	Z	A
12 x R3/8	20197	41,5	18	35
15 x R3/8	20198	44,5	21	41
15 x R1/2	20199	49,5	21	41
18 x R1/2	20200	54,0	25	45
22 x R3/4	20201	61,5	30	51
28 x R1	20202	73,5	37	60
35 x R1 1/4	20203	85,5	45	71
42 x R1 1/2	20204	95,5	56	86
54 x R2	20205	115,5	70	105

C 1427 Pezzo flangiato PN6


(1 x pressato)



Dim.	N° articolo	Z	D	D2	H	K	B	Fori
76	20662	74	160	14	126	130	14	4
89	20663	83	190	18	143	150	16	4
108	20664	92	210	18	168	170	16	4

C 1435 Bocchettone a sede piana filetto maschio


(pressato x filetto esterno)



Dimensione	N° articolo	L	Z
15 x R1/2	20719	63,8	43,8
22 x R3/4	20720	70,0	49,0
28 x R1	20721	74,7	51,7
35 x R1 1/4	20722	81,8	55,8
42 x R1 1/2	20723	88,0	58,0
54 x R2	20724	100,0	65,0

C 1429 Tappo femmina per chiusura definitiva


(1 x pressato)



Dimensione	N° articolo	L	Z
15	20295	25,5	5,5
18	20296	26,3	6,3
22	20297	28,5	7,5
28	20298	32,3	9,3
35	20299	34,4	8,4
42	20300	43,2	13,2
54	20301	51,8	16,8

C 1470 Tappo maschio per chiusura definitiva

(1 x pressato)



Dimensione	N° articolo	L	E
76,1	20656	87	65
88,9	20657	96	72
108	20658	125	97


C 1431 Inserto venturi



Dimensione	N° articolo
Ø18	20292
Ø22	20293
Ø28	20294

C 1434 Croce a 90°

(4 x pressato)



Dimensione	N° art.	L1	Z1	L2	Z2	h
15 x 15 x 15 x 15	20288	35,0	15,0	35,0	15,0	21,0
18 x 15 x 18 x 15	20289	36,5	16,5	35,0	15,0	22,5
22 x 15 x 22 x 15	20290	39,5	18,5	35,0	15,0	24,5
22 x 18 x 22 x 18	20291	39,5	18,5	36,5	16,5	26,0
28 x 15 x 28 x 15	20713	44,5	21,5	35,0	15,0	27,5
28 x 18 x 28 x 18	20714	44,5	21,5	36,5	16,5	29,0
28 x 22 x 28 x 22	20715	44,5	21,5	39,5	18,5	31,0

C 1450 O-ring di tenuta

(in EPDM nero) per acciaio zincato



Dimensione	N° articolo
12	20127
15	20128
18	20129
22	20130
28	20131
35	20132
42	20133
54	20134
76,1	20801
88,9	20802
108	20803

C 1700 O-ring di tenuta

(in Viton® FPM verde) per applicazioni particolari



Dimensione	N° articolo
15	80057
18	80058
22	80059
28	80060
35	80061
42	80065
54	80066
76,1	11937
88,9	11938
108	11939

